



G-Tek[®]
BY **PIP**

G-Tek[®]
BY **PIP**
34-188 XL/10
POSIGRIP[®]
MAX

**LESS EFFORT,
MORE CONTROL**
WITH HIGH-GRIP
HAND PROTECTION

www.pipanz.com

POSIGRIP[®]
MAX
COATING TECHNOLOGY

STRONGER GRIP. REDUCED STRAIN. VERSATILE PROTECTION.

PosiGripMAX™ is an advanced bi-polymer coating applied to select G-Tek® coated seamless knit work gloves to deliver superior grip in both dry and oily conditions. Its unique ultra-thin yet durable polymer composition ensures precise handling and resilience in tough conditions.

Unlike conventional coatings that may allow permeation to the skin increase the risk of dermatitis, PosiGripMAX™ keeps hands dry when working with oils—reducing the chances of skin contamination and changeout rates.



FOR GENERAL PURPOSE AND LIGHT CUT APPLICATIONS



MANUFACTURING
& ASSEMBLY



WAREHOUSING
& LOGISTICS



AUTOMOTIVE
MAINTENANCE



MINING
& MRO



INDUSTRIAL
SANITATION



34-188
6(XS) - 12(3XL)

- Nylon spandex liner for soft, comfortable and flexible wear
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free
- Eco-Band vend packaging

EN 388:2016
+A1:2018




4131X

EN 407:2020



X1XXXX



STANDARD 100



16-828
6(XS) - 12(3XL)

- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and light duty cut resistance
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Reinforced thumb crotch for enhanced durability in high wear areas
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free
- Eco-Band vend packaging

EN 388:2016
+A1:2018




4X42B

EN 407:2020



X1XXXX



STANDARD 100

STYLE	GAUGE	EN 388	EN 407	ANSI/ISEA 105 CUT	SILICONE FREE	LATEX FREE	TOUCHSCREEN	REINFORCED THUMB
34-188	18	4131X	X1XXXX	X	No	Yes	Yes	Yes
16-828	18	4X42B	X1XXXX	A2	No	Yes	Yes	Yes



ABRASION RESISTANCE UP TO 7,000 CYCLES

PosiGripMAX™ remains durable up to nearly 7,000 ANSI/ISEA 105 abrasion cycles, resulting in a longer product lifespan.

COMFORTABLE CUT RESISTANT LINER

PosiGripMAX™ gloves feature a G-Tek® PolyKor® cut resistant liner—an industry trusted engineered yarn blend best known for its lightweight and cool feeling wear.



**ECO-BAND
VEND PACKAGING**

FOR MEDIUM TO HEAVY CUT RISK APPLICATIONS



MINING
& MRO



MACHINERY
MANUFACTURING



AEROSPACE
& DEFENSE



HVAC



HEAVY EQUIPMENT
MAINTENANCE



16-848
6(XS) - 12(3XL)

- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and medium duty cut resistance
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Reinforced thumb crotch for enhanced durability in high wear areas
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free
- Eco-Band vend packaging

EN 388:2016
+A1:2018



4X42D

EN 407:2020



X1XXXX



TOUCHSCREEN



STANDARD 100



16-868
6(XS) - 12(3XL)

- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and medium/heavy duty cut resistance
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Reinforced thumb crotch for enhanced durability in high wear areas
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free
- Eco-Band vend packaging

EN 388:2016
+A1:2018



4X42F

EN 407:2020



X1XXXX



TOUCHSCREEN



STANDARD 100

STYLE	GAUGE	EN 388	EN 407	ANSI/ISEA 105 CUT	SILICONE FREE	LATEX FREE	TOUCHSCREEN	REINFORCED THUMB
16-848	18	4X42D	X1XXXX	A4	No	Yes	Yes	Yes
16-868	18	4X42F	X1XXXX	A6	No	Yes	Yes	Yes

35% LESS FORCE REQUIRED

When tested against conventional foam nitrile coatings, PosiGripMAX™ required an average of 35% less gripping force on dry and oily surfaces—a clear advantage when grip is your first line of defense.

PosiGripMAX™ REDUCES THE RISKS.


- Lower risk of cuts and lacerations from grip failure
- Lower risk of ergonomic injuries from overexertion
- Lower risk of skin reactions from contact with oil

GRIP TESTING

AVERAGE CATCH/PULL FORCE REQUIRED

Tested internally using a SATRA whole hand and grip STM 608 certified machine

■ Dry Surface ■ Oily Surface



NEAR ZERO OIL PENETRATION

PosiGripMAX™ blocks nearly 100% of oils from penetrating for safer skin and less glove changeouts from oil saturation.